DRAFT:-

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department – Allocation of 423 KLD (0.1728 Cusecs) of water from Nethiguntapalle Balancing Reservoir after completion of formation of the Reservoir to M/s Greenative Petrochem Andhra Pvt. Ltd., Nethiguntapalle(V), Mittachinthavaripalli of Punganur (M), Chittoor Dist. - Permission accorded - Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Ms.No. 30 **Dated:** 20.03.2023

Read the following:-

1. G.O. Ms. No. 202 of Industries & Commerce Department, Dt: 06-12-2014.
2. Govt. Memo. No. 2772/Reforms/A2/2015-1, dt: 30.09.2015.
3. G.O.Ms.No.1, Ind. & Com. (P&I) Dept., dt. 12.01.2022.
4. From the ENC (I), WRD, Lr. No. ENC(I)/EE/DEE.1/ AEE.2/ IWS / (Greenative Petrochem Ltd.), dt. 10-01-2023.

****

ORDER

In the letter 4th read above, the Engineer-in-Chief (Irrigation), Water Resources Department, has furnished a detailed proposal based on the report of the Chief Engineer, NTR TGP, Tirupati and recommended to Government to accord permission to allocate 423 KLD (0.1728 Cusecs) of water **temporarily** from Nethiguntapalle Balancing Reservoir after completion of formation of the reservoir to M/s Greenative Petrochem Andhra Pvt. Ltd., subject to the following terms and conditions :

1. The industry M/s Greenative Petrochem Andhra Pvt. Ltd. shall not have any right to draw water without permission from Department.
2. The water drawn from the source should be utilized for the purpose for which permission is granted.
3. The water will be spared on the availability of water in the Nethiguntapalle Balacing Reservoir on prorate basis and after completion of formation of the Reservoir.
4. The consumptive utilization calculated per day fixed by the

(Contd...P.2)

Department should not exceed under any circumstances.

5. The industry cannot claim the permission as a right at the cost of Irrigation/ Drinking purpose.
6. The industry should make their own arrangement for supplementation of water from the reservoir. The industry shall obtain the prior concurrence from concerned Departments for laying pipelines and for crossing etc. where ever necessary.
7. The industry must acquire the private land for installation of pumping arrangements. If the industry proposes to utilize Government land for installation of pump house, necessary permissions is to be obtained from the Government for leasing the land and the lease amount fixed is to be paid by the industry.
8. The entire cost of construction of pump house, pipe line, canal excavation and other infrastructure etc., should be borne by the industry duly acquiring the necessary land etc., at their own cost.
9. The industry can draw water only as and when there is sufficient water available in reservoir, without effecting the irrigation and drinking water demand on any existing or proposed projects already.
10. A detailed plan showing the location of intake arrangements, pump house, alignment of pipeline/canal and conveyance system should be furnished to the Department for approval.
11. No field bodhi or pipeline shall be taken through or along with Government land without approval of Government and if permission accorded by the Government, the lease amount should be paid as fixed by the Government only.
12. The industry should make their own arrangements to dispose the treated effluents as per norms of A.P. Pollution Control Board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in their natural sources. Necessary clearance from the A.P. Pollution Control Board is to be obtained in this regard by the firm before drawl of water from the source.

(Contd...P.3)

13.The industry must strengthen the river margin 100 m from the toe to the River Flood Bank.

14.The Industry has to lay CC(1:4:8) before laying the pipeline and CC(1:2:4) over the pipeline, refill the pipeline with proper soils and consolidate the banks as directed by the Department.

15.The Industry has to construct CC walls to avoid leakage at pipeline crossing.

16.The Industry should follow the Revenue Board Standing Orders.

17.The Industry shall pay security deposit at 5% on 10 years water charges for which permission is granted.

18.Water meters or other suitable measuring devices should be installed by the industry at their own cost to measure the water consumed and should be made available to the Departmental Authority.

19.The Industry shall abide by R.C.Act-1884 and any other condition laid down by the Government /Department from time to time.

20.The industry shall pay water royalty charges as fixed by the Government. The Water royalty charges may be revised by the Government from time to time and the industry has to pay the revised rates as fixed by the Government from time to time.

21.The Industry has to pay one year water charges for the estimated quantity in advance at the start of the financial year i.e. before 10th April every year as per BSO and any other amount due to the Department before entering into agreement.

22.The industry has to conclude an agreement with the concerned Superintending Engineer of Water Resources Department after according of approval from the Government.

23.The industry should give an undertaking that they will not raise any legal complications for not supplying of water during the drought period, short fall of rain and any type of unforeseen problems.

24.The Water Resources Department is no way responsible for non supply of water due to any reasons.

25.The Industry should make its own arrangements for sufficient storage

(Contd..P-4)

of water during non supply period (summer storage) in their premises only, and to conclude agreements accordingly.

26. The Department is no way responsible for any damages that may occur to the off take point due to floods in Nethiguntapalli Balancing Reservoir or on an account of any other reasons.

27. The Department is not responsible for any dispute that arises with neighbouring industries and any legal matter.

28. The industry should not create any objection for improvement / modernization works in future and they have to relocate Off-Take, if necessary at their own cost.

29. The Water Resources Department reserves the right for cancellation of the permission without assigning any reasons thereof.

30. The design should be approved by the Competent Authority.

31. The proposed drawl for this plant should not affect Lower Riparian Rights (LRR)and Upper Riparian Rights (URR) in any manner. The permission does not confer any riparian right to the industry.

32. Non-Adherence to any of the above condition by the industry will entail cancellation of the permission.

33. The Firm has to produce the relevant records for Departmental verification at the end of each quarter periodically.

34. The concerned Executive Engineer will be responsible for enforcing the conditions.

35. The firm has to obtain separate permission duly enclosing the drawings of pipe lines and lease amounts to be paid for the Government Land to be leased as per the prevailing norms.

2. After careful examination of the matter, Government hereby accord permission to M/s Greenative Petrochem Andhra Pvt. Ltd., Nethiguntapalle(V), Mittachintavaripalli of Punganur (M), Chittoor District, for drawl of 423 KLD (0.1728 Cusecs) of water from Nethiguntapalle Balancing Reservoir after completion of the formation of reservoir, subject to the terms and conditions as mentioned at above para.

(Contd. P. 5)

3. The Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada, the Chief Engineer, NTR TGP, Tirupati and the Collector & District Magistrate of Chittoor District shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Shashi Bhushan Kumar I A S
Principal Secretary To Government

To
The Engineer-in-Chief (Irrigation), Water Resources Department,
Andhra Pradesh, Vijayawada.
The Chief Engineer, NTR TGP, Tirupati.
The Collector & District Magistrate, Chittoor District.
The Managing Director, A.P. Pollution Control Board, A.P. Vijayawada.
Copy to:
The Managing Director, M/s Greenative Petrochem Andhra Pvt. Ltd.,
Nethiguntapalle (V), Mittachintavaripalli of Punganur (M),
Chittoor District.
The P.S. to the Hon'ble Minister for Water Resources Department.
The P.S. the Prl. Secretary to Government, Water Resources Department.
The P.S. the Spl. Chief Secretary to Government, Industries Department.
SF/SC.

//FORWARDED::BY ORDER//

P.K. Bhanumathi
SECTION OFFICER

O/C

WATER RESOURCES Dept. A.P. SECRETARIAT VELAGAPUDI
21/3/2023
21 MAR

Signed by Shashi Bhushan Kumar I A S
Date: 20-03-2023 11:13:15
Reason: Approved

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department – Allocation of 423 KLD (0.1728 Cusecs) of water from Nethiguntapalle Balancing Reservoir after completion of formation of the Reservoir to M/s Greenative Petrochem Andhra Pvt. Ltd., Nethiguntapalle (V), Mittachinthavaripalli of Punganur (M), Chittoor Dist. - Permission accorded - Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Ms.No.30 **Dated:20.03.2023**

Read the following:-

1. G.O. Ms. No. 202 of Industries & Commerce Department, Dt: 06-12-2014.
2. Govt. Memo. No. 2772/Reforms/A2/2015-1, dt:30.09.2015.
3. G.O.Ms.No.1, Ind. & Com. (P&I) Dept., dt. 12.01.2022.
4. From the ENC (I), WRD, Lr. No. ENC(I)/EE/DEE.1/AEE.2/IWS/ (Greenative Petrochem Ltd.), dt. 10-01-2023.

****

O R D E R :

In the letter 4th read above, the Engineer-in-Chief (Irrigation), Water Resources Department, has furnished a detailed proposal based on the report of the Chief Engineer, NTR TGP, Tirupati and recommended to Government to accord permission to allocate 423 KLD (0.1728 Cusecs) of water **temporarily** from Nethiguntapalle Balancing Reservoir after completion of formation of the reservoir to M/s Greenative Petrochem Andhra Private Ltd., subject to the following terms and conditions :

1. The industry M/s Greenative Petrochem Andhra Pvt. Ltd. shall not have any right to draw water without permission from Department.
2. The water drawn from the source should be utilized for the purpose for which permission is granted.
3. The water will be spared on the availability of water in the Nethiguntapalle Balacing Reservoir on prorate basis and after completion of formation of the Reservoir.
4. The consumptive utilization calculated per day fixed by the Department should not exceed under any circumstances.
5. The industry cannot claim the permission as a right at the cost of Irrigation/ Drinking purpose.
6. The industry should make their own arrangement for supplementation of water from the reservoir. The industry shall obtain the prior concurrence from concerned Departments for laying pipelines and for crossing etc. wherever necessary.
7. The industry must acquire the private land for installation of pumping arrangements. If the industry proposes to utilize Government land for installation of pump house, necessary permissions is to be obtained from the Government for leasing the land and the lease amount fixed is to be paid by the industry.
8. The entire cost of construction of pump house, pipe line, canal excavation and other infrastructure etc., should be borne by the industry duly acquiring the necessary land etc., at their own cost.
9. The industry can draw water only as and when there is sufficient water available in reservoir, without effecting the irrigation and drinking water demand on any existing or proposed projects already.

10. A detailed plan showing the location of intake arrangements, pump house, alignment of pipeline/canal and conveyance system should be furnished to the Department for approval.
11. No field bodhi or pipeline shall be taken through or along with Government land without approval of Government and if permission accorded by the Government, the lease amount should be paid as fixed by the Government only.
12. The industry should make their own arrangements to dispose the treated effluents as per norms of A.P. Pollution Control Board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in their natural sources. Necessary clearance from the A.P. Pollution Control Board is to be obtained in this regard by the firm before drawl of water from the source.
13. The industry must strengthen the river margin 100 m from the toe to the River Flood Bank.
14. The Industry has to lay CC (1:4:8) before laying the pipeline and CC (1:2:4) over the pipeline, refill the pipeline with proper soils and consolidate the banks as directed by the Department.
15. The Industry has to construct CC walls to avoid leakage at pipeline crossing.
16. The Industry should follow the Revenue Board Standing Orders.
17. The Industry shall pay security deposit at 5% on 10 years water charges for which permission is granted.
18. Water meters or other suitable measuring devices should be installed by the industry at their own cost to measure the water consumed and should be made available to the Departmental Authority.
19. The Industry shall abide by R.C.Act-1884 and any other condition laid down by the Government /Department from time to time.
20. The industry shall pay water royalty charges as fixed by the Government. The Water royalty charges may be revised by the Government from time to time and the industry has to pay the revised rates as fixed by the Government from time to time.
21. The Industry has to pay one year water charges for the estimated quantity in advance at the start of the financial year i.e. before 10th April every year as per BSO and any other amount due to the Department before entering into agreement.
22. The industry has to conclude an agreement with the concerned Superintending Engineer of Water Resources Department after according of approval from the Government.
23. The industry should be given an undertaking that they will not raise any legal complications for not supplying of water during the drought period, short fall of rain and any type of unforeseen problems.
24. The Water Resources Department is no way responsible for non supply of water due to any reasons.
25. The Industry should make its own arrangements for sufficient storage of water during non supply period (summer storage) in their premises only and to conclude agreements accordingly.
26. The Department is no way responsible for any damages that may occur to the off take point due to floods in Nethiguntapalli Balancing Reservoir or on an account of any other reasons.
27. The Department is not responsible for any dispute that arises with neighbouring industries and any legal matter.
28. The industry should not create any objection for improvement / modernization works in future and they have to relocate Off-Take, if necessary at their own cost.
29. The Water Resources Department reserves the right for cancellation of the permission without assigning any reasons thereof.
30. The design should be approved by the Competent Authority.
31. The proposed drawl for this plant should not affect Lower Riparian Rights (LRR) and Upper Riparian Rights (URR) in any manner. The permission does not confer any riparian right to the industry.

32. Non-Adherence to any of the above condition by the industry will entail cancellation of the permission.
33. The Firm has to produce the relevant records for Departmental verification at the end of each quarter periodically.
34. The concerned Executive Engineer will be responsible for enforcing the conditions.
35. The firm has to obtain separate permission duly enclosing the drawings of pipe lines and lease amounts to be paid for the Government Land to be leased as per the prevailing norms.

2. After careful examination of the matter, Government hereby accord permission to M/s Greenative Petrochem Andhra Private Limited, Nethiguntapalle(V), Mittachintavaripalli of Punganur (M), Chittoor District, for drawl of 423 KLD (0.1728 Cusecs) of water from Nethiguntapalle Balancing Reservoir after completion of the formation of reservoir, subject to the terms and conditions as mentioned at above para.

3. The Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada, the Chief Engineer, NTR TGP, Tirupati and the Collector & District Magistrate of Chittoor District shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (Irrigation), Water Resources Department,
Andhra Pradesh, Vijayawada.
The Chief Engineer, NTR TGP, Tirupati.
The Collector & District Magistrate, Chittoor District.
The Managing Director, A.P. Pollution Control Board, A.P, Vijayawada.
Copy to:
The Managing Director, M/s Greenative Petrochem Andhra Pvt. Ltd.,
Nethiguntapalle (V), Mittachintavaripalli of Punganur (M),
Chittoor District.
The P.S. to the Hon'ble Minister for Water Resources Department.
The P.S. the Prl. Secretary to Government, Water Resources Department.
The P.S. the Spl. Chief Secretary to Government, Industries Department.
SF/SC.

//FORWARDED::BY ORDER//

SECTION OFFICER